

Carboma



DISPLAY CASES

NEW IN 2021

Gastronomic display cases

BAVARIA 3



VERSION 1



VERSION 2

FEATURES:

- Attractive design drawing the customer's eye to the products on display.
- A choice of materials, colors and textures for creating your shop's sophisticated and unique interior.
- These display cases are perfect for meat, cheese, fish, dairy products, preserves, frozen foods, confectionery, baked goods.
- Full range of straight-line and corner models.
- Two possible ways of attaching the front glass panel – without lifting and with opening upwards using gas cylinders.
- Side insulating glass units.
- Perfect view of the products thanks to LED lighting inside the display case.

SPECIFICATIONS:

Model	Length with the sidewalls, mm →  mm	Length w/o the side-walls, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
GC111 SM / SV 0,94-1	1030	940	0,68	0,10	0...+7 / -5...+5
GC111 SM / SV 1,25-1	1340	1250	0,90	0,14	
GC111 SM / SV 1,5-1	1510	1420	1,02	0,15	
GC111 SM / SV 2,0-1	1965	1875	1,35	0,20	
GC111 SM / SV 2,5-1	2590	2500	1,80	0,27	
GC111 SM / SV 3,75-1	3840	3750	2,70	0,41	
GC111 SL 0,94-1	1030	940	0,64	0,10	down to -18
GC111 SL 1,25-1	1340	1250	0,85	0,13	
GC111 SL 1,5-1	1510	1420	0,97	0,14	
GC111 SL 2,0-1	1965	1875	1,28	0,19	
GC111SM/ SP0,94-2 (open / fish on ice)	1030	940	0,68	0,10	+2...+6 / -1...+2*
GC111 SM/ SP1,25-2 (open / fish on ice open)	1340	1250	0,90	0,14	
GC111 SM/ SP1,5-2 (open / fish on ice open)	1510	1420	1,02	0,15	
GC111 SM/ SP2,0-2 (open / fish on ice open)	1965	1875	1,35	0,20	
GC111SP0,94-1 (fish on ice closed)	1030	940	0,68	0,10	-1...+1
GC111SP1,25-1 (fish on ice closed)	1340	1250	0,90	0,14	
GC111 SP1,5-1 (fishoniceclosed)	1510	1420	1,02	0,15	
GC111SP2,0-1 (fish on ice closed)	1965	1875	1,35	0,20	
GC111VM/ VV0,94-1 (dynamic) / VM0,94-2 (open dynamic)	1030	940	0,75	0,11	0...+7 / -5...+5 / +2...+6
GC111VM/ VV1,25-1 (dynamic) / VM1,25-2 (open dynamic)	1340	1250	1,0	0,15	
GC111VM/ VV1,5-1 (dynamic) / VM1,5-2 (open dynamic)	1510	1420	1,14	0,17	
GC111VM/ VV2,0-1 (dynamic) / VM2,0-2 (open)	1965	1875	1,25	0,23	
GC111VM/ VV2,5-1 (dynamic)	2590	2500	2,0	0,30	0...+7 / -5...+5
GC111VM/ VV3,75-1 (dynamic)	3840	3750	3,0	0,45	
GC111VM-5-1 / GC111VV-5-1 (outer corner, dynamic) 90 degrees	1715	–	0,85	0,13	0...+7 / -5...+5
GC111VM-6-1 / GC111VV-6-1 (inner corner, dynamic) 90 degrees	1830	–	0,84	0,13	
Hot food well* BM (water bath)	1340	1250	–	–	up to +80
Counter	1250	–	–	–	–








*If lump or flake ice is available

0011-1010 (grey + mariel)



0013-1008 (black + dark oak)





OPTIONS:

- Sidewalls with insulating glass unit
- Everything necessary for connecting display cases
- Additional display shelf
- Low and full-profile partitions

- Lighting of the front panel
- Shelf for scales
- Two-stage tray system for displaying products
- Net baskets for the low-temperature module



TWO-STAGE TRAY SYSTEM



SIDEWALLS WITH INSULATING GLASS UNIT



FULL-PROFILE PARTITION

1 Structural insulating glass unit for the sidewall

2 Fixed or lifting front glass panel

3 Bottom stainless steel trays

4 Stainless steel work surface

5 Energy-saving curtains




6 Sidewalls with decorative panels

7 Decorative front panels

8 LED lighting in the internal volume



Carloma



COLORE

A new take on colors
in gastronomy







FEATURES:

- COLORE DISPLAY CASES are a SUPER SOLUTION when space is limited, the ART of cashing in from equipment and YOUR PROFIT!
- QUALITY WARRANTY from a well-known manufacturer, modern technologies for manufacturing side panels from metal, forced cooling of the front glass panel.
- THE CHOICE OF ANY COLOR PALETTE guarantees unique style for the shop, restaurant, cafe or bar. The original color of display cases will attract the customer's attention. 100% COMPLIANCE WITH THE GASTRONORM STANDARD will SPEED UP processing products.
- Products are placed in individual pans.



SPECIFICATIONS:

Model	Total length, mm → mm	Display tray length, mm  mm	Horizontal area of exposition, m² 	Net volume, m³ 	Operating temperature, °C 
GC75 SM (SV) 1,0-1	1020	940	0,47	0,07	0...+7 / -5...+5
GC75 SM (SV) 1,2-1	1080	1100	0,55	0,08	
GC75 SM (SV) 1,5-1	1480	1400	0,70	0,11	
GC75 SM (SV) 1,8-1	1780	1700	0,85	0,13	
GC75 SL 1,0-1	1020	890	0,45	0,07	up to -13
GC75 SL 1,2-1	1080	1050	0,53	0,08	
GC75 SL 1,5-1	1480	1350	0,68	0,10	
GC75 SL 1,8-1	1780	1650	0,83	0,12	
GC75 VM (VV) 1,0-1 (dynamic)	1080	940	0,53	0,08	0...+7 / -5...+5
GC75 VM (VV) 1,2-1 (dynamic)	1080	1100	0,62	0,09	
GC75 VM (VV) 1,5-1 (dynamic)	1480	1400	0,79	0,12	
GC75 VM (VV) 1,8-1 (dynamic)	1780	1700	0,96	0,14	
GC75 SH 1,0-1 (heated)	1020	940	4 gastronorm pans GN1/3 up to 150 mm deep		up to +65
GC75 SH 1,2-1 (heated)	1080	1100	6 gastronorm pans GN1/3 up to 150 mm deep		
GC75 N 1,0-1 (neutral)	1020	940	0,57	—	—
GC75 N 1,2-1 (neutral)	1080	1100	0,67		
GC75 N 1,5-1 (neutral)	1480	1400	0,85		
GC75 N 1,8-1 (neutral)	1780	1700	1,03		
GC75 N 0,6-7 / N 0,9-7 (counter)	600/900	—	—	—	




OPTIONS:

- trays for gastronorm pans
GN1/3 (SM, SV)
- wheels
- partition
- full-profile partition
- baskets for SL



TRAYS FOR GN1/3



PARTITION

STANDARD VERSION:



RAL9006/9003



STANDARD FRONT PANEL COLORS:

RAL9003



RAL9006



RAL9005



RAL3004



RAL7024



RAL1016



RAL6018



RAL3020



RAL5017



NON-STANDARD FRONT PANEL COLORS:



FRONT PANEL PATTERN:

0106 GREY OAK



0107 ALDER



0105 WENGE



0108 DARK OAK



0110 MARIEL







CUSTOM-MADE VERSION

(painted front panel and bottom front panels, sidewalls):

Any color from RAL chart
Pattern



LAYOUT OF GASTRONORM PANS:

Layout of pans	Model	Size and number of pans
	SM 1,0	GN1/3 max H-150 mm 4 pans
	SV 1,0	
	SM 1,2	GN1/3 max H-150 mm 6 pans
	SV 1,2	
	SM 1,5	GN1/3 max H-150 mm 8 pans
	SV 1,5	
	SM 1,8	GN1/3 max H-150 mm 10 pans
	SV 1,8	



Bar display cases

AMRA



FEATURES:


AMRA series of bar display cases means:

- stylish contemporary cubic design for bars, restaurants and coffee shops;
- steady temperature mode due to dynamic refrigeration and insulating glass units;
- cross-functional design – may be table-top or built into the bar stand;
- LED lighting on the sides showcases the multi-layer structure of gateaux and desserts;
- grating shelves with a stopper, may be installed at a 5° angle;
- various possible color solutions for the front panel.


SPECIFICATIONS:

Model	Length with the sidewalls, mm → mm	Bottom display tray length, mm → mm	Horizontal area of exposition, m ² m ²	Net volume, m ³ m ³	Operating temperature, °C °C
AC59 VV 0,7-1	700	666	0,56	0,06	+2...+10
AC59 VV 0,9-1	900	866	0,73	0,09	
AC59 VV 1,2-1	1200	1166	1,0	0,12	
AC59 SH 0,7-1 (heated)	700	666	0,21	-	up to +65
AC59 SH 0,9-1 (heated)	900	866	0,32		
AC59 SH 1,2-1 (heated)	1200	1166	0,45		
AC59 N 0,7-1 (neutral)	700	666	0,56	-	-
AC59 N 0,9-1 (neutral)	900	866	0,73		
AC59 N 1,2-1 (neutral)	1200	1166	1,0		


Dynamic



Heated



Neutral



OPTIONS:

- wine rack
- price tag holders
- macaron tray (1 section, 2 sections)
- sandwich display stand
- price tag tray for small pastries



MACARON TRAY
(1 SECTION)



SANDWICH
DISPLAY STAND



PRICE TAG TRAY
FOR SMALL PASTRIES



WINE RACK

STANDARD VERSION:

0430



STANDARD COLORS:

(painted front panel)

RAL9003



RAL9006



RAL9005



RAL3004



RAL7024



RAL1016



RAL6018



RAL3020



RAL5017



RAL1015



CUSTOM-MADE VERSION:

(painted front panel)

Any color from RAL chart



1 Glazing – insulating glass unit

2 Grating shelves with a stopper

3 LED lighting from the sides



cakes, gateaux,
delicatessen
+2...+10°C



bread



pastries

до +65°C



4 Table-top version

5 Built into the bar stand

Installation
without gaps



Carboma

Confectionery display cases

COSMO



FEATURES:



- Confectionery display cases COSMO are perfect for ANY layout of a confectioner's shop, bakery, or cafe. With them, you can easily change and expand the concept, modifying the space and quantity of the products displayed.
- Smooth edges of insulating glass units and absence of any connection plates in the outer glazing contour make it look weightless and create the effect of INFINITY.
- The model range of COSMO display cases features 27 size combinations: three lengths, three heights, three depths.
- 2 TYPES of cases – freestanding or built into stands and surfaces (BUILT-IN).
- Standard scope of supply includes shelves which may be installed at various levels with LED lighting, built-in price tag holders, fall-back front glass unit for KC84 line.

SPECIFICATIONS (FREESTANDING):

Model	Total length, mm → mm	Shelf length, mm → mm	Bottom tray length, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
KC71-110 0,6 closed	600	530	520	0,60	0,12	+2...+10
KC71-110 0,9 closed/open	900	830/810	820/810	0,95 / 0,89	0,19 / 0,13	+2...+10 /
KC71-110 1,2 closed/open	1200	1130/1110	1120/1110	1,29 / 1,27	0,26 / 0,19	+4...+10
KC71-110 0,6 heated/neutral	600	530	520	0,41 / 0,60	-	up to +65/-
KC71-110 0,9 heated/neutral	900	830	820	0,65 / 0,95	-	
KC71-110 1,2 heated/neutral	1200	1130	1120	0,89 / 1,29	-	
KC71-130 0,6 closed	600	530	520	0,8	0,16	+2...+10
KC71-130 0,9 closed/open	900	830/810	820/810	1,27 / 1,18	0,25 / 0,18	+2...+10 /
KC71-130 1,2 closed/open	1200	1130/1110	1120/1110	1,74 / 1,6	0,35 / 0,24	+4...+10
KC71-130 0,6 heated/neutral	600	530	520	0,63 / 0,8	-	up to +65/-
KC71-130 0,9 heated/neutral	900	830	820	0,98 / 1,27	-	
KC71-130 1,2 heated/neutral	1200	1130	1120	1,34 / 1,74	-	
KC71-150 0,6 closed	600	530	520	1,02	0,2	+2...+10
KC71-150 0,9 closed	900	830	820	1,6	0,32	
KC71-150 1,2 closed	1200	1130	1120	2,18	0,44	
KC71-150 0,6 heated/neutral	600	530	520	0,84 / 1,02	-	up to +65/-
KC71-150 0,9 heated/neutral	900	830	820	1,31 / 1,6	-	
KC71-150 1,2 heated/neutral	1200	1130	1120	1,78 / 2,18	-	


Closed modules

Open modules



KC71-130


Heated modules




SPECIFICATIONS (FREESTANDING):

Модель	Total length, mm → mm	Shelf length, mm → mm	Bottom tray length, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
KC78-110 0,9 closed/open	900	830/810	820/810	1,17 / 1,11	0,23 / 0,17	+2...+10 /
KC78-110 1,2 closed/open	1200	1130/1110	1120/1110	1,6 / 1,5	0,32 / 0,23	+4...+10
KC78-110 1,5 closed	1500	1430	1420	2,0	0,4	+2...+10
KC78-110 0,9 heated/neutral	900	830	820	0,8 / 1,17	-	up to +65/-
KC78-110 1,2 heated/neutral	1200	1130	1120	1,08 / 1,6	-	
KC78-110 1,5 heated/neutral	1500	1430	1420	1,37 / 2,0	-	
KC78-130 0,9 closed/open	900	830/810	820/810	1,58 / 1,47	0,32 / 0,22	+2...+10 /
KC78-130 1,2 closed/open	1200	1130/1110	1120/1110	2,15 / 2,0	0,43 / 0,3	+4...+10
KC78-130 1,5 closed	1500	1430	1420	2,72	0,54	+2...+10
KC78-130 0,9 heated/neutral	900	830	820	1,19 / 1,58	-	up to +65/-
KC78-130 1,2 heated/neutral	1200	1130	1120	1,62 / 2,15	-	
KC78-130 1,5 heated/neutral	1500	1430	1420	2,05 / 2,72	-	
KC78-150 0,9 closed	900	830	820	1,98	0,4	+2...+10
KC78-150 1,2 closed	1200	1130	1120	2,7	0,54	
KC78-150 1,5 closed	1500	1430	1420	3,4	0,68	
KC78-150 0,9 heated/neutral	900	830	820	1,59 / 1,98	-	up to +65/-
KC78-150 1,2 heated/neutral	1200	1130	1120	2,17 / 2,7	-	
KC78-150 1,5 heated/neutral	1500	1430	1420	2,74 / 3,4	-	


Closed modules



Open modules



Heated modules




KC78-150




SPECIFICATIONS (FREESTANDING):

Model	Total length, mm → mm	Shelf length, mm → mm	Bottom tray length, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
KC84-110 0,9 closed	900	830	820	1,32	0,26	+2...+10
KC84-110 1,2 closed	1200	1130	1120	1,8	0,36	
KC78-110 1,5 closed	1500	1430	1420	2,28	0,46	
KC84-110 0,9 heated/neutral	900	830	820	0,9/1,32	-	up to +65/-
KC84-110 1,2 heated/neutral	1200	1130	1120	1,22/1,8	-	
KC84-110 1,5 heated/neutral	1500	1430	1420	1,54/2,28	-	
KC84-130 0,9 closed	900	830	820	1,78	0,36	+2...+10
KC84-130 1,2 closed	1200	1130	1120	2,42	0,48	
KC84-130 1,5 closed	1500	1430	1420	3,06	0,61	
KC84-130 0,9 heated/neutral	900	830	820	1,34/1,78	-	up to +65/-
KC84-130 1,2 heated/neutral	1200	1130	1120	1,83/2,42	-	
KC84-130 1,5 heated/neutral	1500	1430	1420	2,32/3,06	-	
KC84-150 0,9 closed	900	830	820	2,23	0,45	+2...+10
KC84-150 1,2 closed	1200	1130	1120	3,03	0,61	
KC84-150 1,5 closed	1500	1430	1420	3,84	0,77	
KC84-150 0,9 heated/neutral	900	830	820	1,79/2,23	-	-
KC84-150 1,2 heated/neutral	1200	1130	1120	2,44/3,03	-	
KC84-150 1,5 heated/neutral	1500	1430	1420	3,09/3,84	-	

Closed modules



Heated modules




KC84-110




SPECIFICATIONS (BUILT-IN):

Model	Total length, mm → mm	Shelf length, mm → mm	Bottom tray length, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
KC71-110 0,9 closed/openBUILT-IN	900	830/810	820/810	0,95/0,89	0,19/0,13	+2...+10 / +4...+10
KC71-110 1,2 closed/openBUILT-IN	1200	1130/1110	1120/1110	1,29/1,27	0,26/0,19	
KC71-110 0,9 heated	900	830	820	0,65	-	до +65
KC71-110 1,2 heated	1200	1130	1120	0,89	-	
KC71-130 0,9 closed/openBUILT-IN	900	830/810	820/810	1,27/1,18	0,25/0,18	+2...+10 / +4...+10
KC71-130 1,2 closed/openBUILT-IN	1200	1130/1110	1120/1110	1,74/1,6	0,35/0,24	
KC71-130 0,9 heated	900	830	820	0,98	-	до +65
KC71-130 1,2 heated	1200	1130	1120	1,34	-	



Closed modules




Heated modules



Open modules



With built-in displace cases, air vents must be made in the bar stand, 200 mm from the floor



OPTIONS:

- wheels
- glass unit with a mirror on sliding doors
- stainless steel plate (work surface)
- macaron tray (1 section, 2 sections)
- price tag tray for small pastries
- sandwich display stand



MACARON TRAY
(1 SECTION)



PRICE TAG TRAY
FOR SMALL PASTRIES



SANDWICH
DISPLAY STAND

- 1 Glazing – insulating glass unit
- 2 Refrigerated glass shelves (closed models)
- 3 Refrigerated metal shelves (open models)
- 4 Heated glass shelves (heated modules)
- 5 LED lighting on each shelf
- 6 Level of shelves may be adjusted
- 7 Built-in price tag holders
- 8 Base layout – frosted glass (closed models)
- 9 Sliding doors (closed models)

Open
module (Self)



Installation
without gaps

Carloma


Confectionery display cases **CUBE STANDARD**



FEATURES:

CUBE STANDARD series of confectionery display cases means:


- contemporary cubic design;
- stable temperature mode provided by insulating glass units;
- efficient use of the floor area in the cafe, bar, or shop of any format;
- manifold models, from serving over the counter to self-service;
- various color solutions;
- LED lighting on every shelf;
- protective metal stands covering the joints between glass units




SPECIFICATIONS:

Model	Length with the sidewalls, mm → mm	Length w/o the side-walls, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
KC70 VV 0,6-1 STANDARD	600	595	0,83	0,12	0...+7
KC70 VV 0,9-1 STANDARD	900	895	1,26	0,19	
KC70 VV 1,3-1 STANDARD	1300	1295	1,86	0,28	
KC70 VM 0,6-2 STANDARD (open)	600	895	0,73	0,12	+4...+12
KC70 VM 0,9-2 STANDARD (open)	900	895	1,13	0,18	
KC70 VM 1,3-2 STANDARD (open)	1300	1295	1,78	0,27	
KC70 N 0,6-1 STANDARD (neutral)	600	595	0,83	-	-
KC70 N 0,9-1 STANDARD (neutral)	900	895	1,26		
KC70 N 1,3-1 STANDARD (neutral)	1300	1295	1,86		
KC70 N 0,6-7/ KC70N 0,9-7 (counter)	600/900	-	-		


Dynamic




Dynamic open



Neutral



Counter



OPTIONS:

- wheels
- lighting on front stands
- macaron tray
(1 section, 2 sections)
- price tag tray for small pastries
- sandwich display stand
- night curtain (open)



MACARON TRAY
(1 SECTION)



PRICE TAG TRAY FOR
SMALL PASTRIES



SANDWICH
DISPLAY STAND

STANDARD VERSION:

0102/0109



9006/9005



VERSION WITH FRONT BOTTOM LIGHTING:

9005/0430



STANDARD COLORS:

(painted front panels, sidewalls, protective stands, profile for glass, bottom display tray, shelf brackets, lighting fixture casing):

RAL9003



RAL9006



RAL9005



RAL3004



RAL7024



RAL1016



RAL6018



RAL3020



RAL5017



RAL1015



FRONT PANEL PATTERN:

0106 GREY OAK



0107 ALDER



0105 WENGE



0108 DARK OAK



0110 MARIEL



CUSTOM-MADE VERSION:

Any color from RAL chart (painted front panels, sidewalls, protective stands, profile for glass, bottom display tray, shelf brackets, lighting fixture casing)

Front panel pattern

Bottom display tray - stainless steel



MDF PANELS

WITH FRONT BOTTOM LIGHTING:

1006 GREY OAK



1007 ALDER



1005 WENGE



1008 DARK OAK



1010 MARIEL



1 Glazing – insulating glass unit

2 LED lighting on each shelf

3 Metal sidewall, 2.5 mm thick




beverages
+4...+12°C



cakes, gateaux
delicatessen
0...+7°C

Night curtain (Self)

Open module (Self)



Installation
without gaps




Confectionery display cases

CUBE LIGHT



FEATURES:


- CUBE LIGHT series of confectionery display cases means contemporary look of retail spaces.
- Cubic design, lighting on every shelf, diverse colors will make shop interior attractive.
- Suitable for displaying cakes, pastries, pizza, bread.
- Due to its protection in the form of metal stands covering the joints between glass units, this display case is recommended for areas with high customer traffic flow and risk of damage to the display case by bags and suitcases.




SPECIFICATIONS:

Model	Length with the sidewalls, mm → mm	Length w/o the side-walls, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
KC70 VH0,6-1 LIGHT (for chocolate)	620	560	0,84	0,13	+12...+16
KC70 VH0,9-1 LIGHT (for chocolate)	920	860	1,28	0,19	
KC70 VH1,3-1 LIGHT (for chocolate)	1370	1310	1,95	0,29	
KC70 VM0,6-1 LIGHT	620	560	0,84	0,13	+6...+12
KC70 VM0,9-1 LIGHT	920	860	1,28	0,19	
KC70 VM1,3-1 LIGHT	1370	1310	1,95	0,29	
KC70 SH 0,9-1 LIGHT (heated)	920	860	0,9	-	up to +65
KC70 N 0,6-1 LIGHT (neutral/bread)	620	560	0,84		-
KC70 N 0,9-1 LIGHT (neutral/bread)	920	860	1,28		
KC70 N 1,3-1 LIGHT (neutral/bread)	1370	1310	1,95		
KC70 N 0,6-7 / KC70N 0,9-7 (counter)	600/900	-	-		


Dynamic




Heated




Neutral



Bread



Counter



OPTIONS:

- wheels
- lighting on front stands
- macaron tray (1 section, 2 sections)
- price tag tray for small pastries
- sandwich display stand



MACARON TRAY
(1 SECTION)



PRICE TAG TRAY FOR
SMALL PASTRIES



SANDWICH
DISPLAY STAND

STANDARD VERSION:

0102/0109



9006/9005



VERSION WITH FRONT BOTTOM LIGHTING:

9005/0430



STANDARD COLORS:

(painted front panels, sidewalls, protective stands, profile for glass, bottom display tray, shelf brackets, lighting fixture casing)

RAL9003



RAL9006



RAL9005



RAL3004



RAL7024



RAL1016



RAL6018



RAL3020



RAL5017



RAL1015



FRONT PANEL PATTERN:

0106 GREY OAK



0107 ALDER



0105 WENGE



0108 DARK OAK



0110 MARIEL



CUSTOM-MADE VERSION:

Any color from RAL chart (painted front panels, sidewalls, protective stands, profile for glass, bottom display tray, shelf brackets, lighting fixture casing)

Front panel pattern

Bottom display tray - stainless steel



MDF PANELS

WITH FRONT BOTTOM LIGHTING:

1006 GREY OAK



1007 ALDER



1005 WENGE



1008 DARK OAK



1010 MARIEL





cakes, roulades
beverages
+6...+12°C



chocolate,
desserts
+12...+16°C



bread and
bakery
products



pastries
up to +65°C

1 Glazing – glass

2 LED lighting
on each shelf

3 Metal sidewall,
30 mm thick



Carboma

Confectionery display cases

FLANDRIA STANDARD






FEATURES:

- Perfect solution for food service and confectionery retail.
- Made for displaying pastries, cakes, pizza and bread.
- Panoramic spherical glass unit and backlit glass shelves present products to maximum advantage.
- Design of FLANDRIA STANDARD allows for installing display cases in one line without gaps.

SPECIFICATIONS:

Model	Length with the sidewalls, mm → mm	Length w/o the side-walls, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
K70 VV 0,9-1 STANDARD	900	895	1,26	0,19	0...+7
K70 VV 1,3-1 STANDARD	1300	1295	1,86	0,28	
K70 VM 0,6-2 STANDARD (open)	600	595	0,78	0,12	+4...+12
K70 VM 0,9-2 STANDARD (open)	900	895	1,21	0,18	
K70 VM 1,3-2 STANDARD (open)	1300	1295	1,79	0,27	
K70 N 0,9-1 STANDARD (neutral)	900	895	1,26	–	–
K70 N 1,3-1 STANDARD (neutral)	1300	1295	1,86		
K70 N 0,6-7 / K70N 0,9-7 (counter)	600/900	–	–		



STANDARD VERSION:

0102/0109



9006/9005



VERSION WITH FRONT BOTTOM LIGHTING:

9005/0430



STANDARD COLORS

(painted front panels, sidewalls, profile for glass, bottom display tray, shelf brackets, lighting fixture casing)

RAL9003



RAL9006



RAL9005



RAL3004



RAL7024



RAL1016



RAL6018



RAL3020



RAL5017



RAL1015



FRONT PANEL PATTERN:

0106 GREY OAK



0107 ALDER



0105 WENGE



0108 DARK OAK



0110 MARIEL



CUSTOM-MADE VERSION:

Any color from RAL chart (painted front panels, sidewalls, profile for glass, bottom display tray, shelf brackets, lighting fixture casing)

Front panel pattern

Bottom display tray - stainless steel



MDF PANELS

WITH FRONT BOTTOM LIGHTING:

1006 GREY OAK



1007 ALDER



1005 WENGE



1008 DARK OAK



1010 MARIEL



OPTIONS:

- wheels
- macaron tray (1 section, 2 sections)
- price tag tray for small pastries
- sandwich display stand
- night curtain (open)



MACARON TRAY
(1 SECTION)



PRICE TAG TRAY FOR
SMALL PASTRIES



SANDWICH
DISPLAY STAND



Carboma

Confectionery display cases

FLANDRIA LIGHT




FEATURES:

- FLANDRIA LIGHT series is suitable for cake shops, bars.
- It is made for displaying bakery products, cakes, pizza and bread.
- Classic shape of the front glass panel, lighting on each shelf provide excellent visibility for the products on display.
- With its range of various models, FLANDRIA LIGHT may be installed in any configuration.

SPECIFICATIONS:

Model	Length with the sidewalls, mm →  mm	Length w/o the side-walls, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
K70 VH 0,9-1 LIGHT (for chocolate)	920	860	1,22	0,18	+12...+16
K70 VH 1,3-1 LIGHT (for chocolate)	1370	1310	1,86	0,28	
K70 VM 0,9-1 LIGHT	920	860	1,22	0,18	+6...+12
K70 VM 1,3-1 LIGHT	1370	1310	1,86	0,28	
K70 VM 0,9-12 LIGHT (MINI)	920	860	0,66	0,1	
K70 VM 1,3-12 LIGHT (MINI)	1370	1310	1,0	0,15	
K70 VM-3 LIGHT (outer corner)	–	–	0,65	0,1	up to +65
K70 SH 0,9-1 LIGHT (heated)	920	860	0,9	–	
K70 N 0,9-1 LIGHT (neutral/bread)	920	860	1,22	–	–
K70 N 1,3-1 LIGHT (neutral/bread)	1370	1310	1,86		
K70 N-3 LIGHT (outer corner neutral)	–	–	0,65		
K70N0,6-7/ K70N 0,9-7 (counter)	600/900	–	–	–	



OPTIONS:

- wheels
- macaron tray (1 section, 2 sections)
- price tag tray for small pastries
- sandwich display stand



MACARON TRAY
(1 SECTION)



PRICE TAG TRAY FOR
SMALL PASTRIES



SANDWICH
DISPLAY STAND

STANDARD VERSION:

0012/0109



0011/9005



VERSION WITH FRONT BOTTOM LIGHTING:

0013/0430



STANDARD COLORS

(painted front panels, sidewalls, profile for glass,
bottom display tray, shelf brackets, lighting
fixture casing):

RAL9003



RAL9006



RAL9005



RAL3004



RAL7024



RAL1016



RAL6018



RAL3020



RAL5017



RAL1015



3 colors of plastic sidewalls: 0011 (grey); 0012 (brown); 0013 (black)

FRONT PANEL PATTERN:

0106 GREY OAK



0107 ALDER



0105 WENGE



0108 DARK OAK



0110 MARIEL



3 colors of plastic sidewalls: 0011 (grey); 0012 (brown); 0013 (black)

CUSTOM-MADE VERSION:

Any color from RAL chart (painted front panels, sidewalls,
profile for glass, bottom display tray, shelf brackets,
lighting fixture casing)

Front panel pattern

Bottom display tray - stainless steel

3 colors of plastic sidewalls:

0011 (grey); 0012 (brown); 0013 (black)



MDF PANELSWITH FRONT BOTTOM LIGHTING:

1006 GREY OAK



1007 ALDER



1005 WENGE



1008 DARK OAK



1010 MARIEL





bread and
bakery
products



chocolate,
desserts
+12...+16°C



pastries
up to +65°C



cakes, roulades
beverages
+6...+12°C



1 Glazing – glass

2 LED lighting
on each shelf

3 Plastic sidewalls,
30 mm thick



Confectionery display cases **BORNEO**











FEATURES:

- In KC80 series, design and technology join efforts to help you increase the sales of your confectionery items, cakes, chocolate, snacks and delicatessen.
- With its wide range of models, KC80 may be used on any shop floor, from a small bakery or cafe to a supermarket.
- Transformation to meet any needs helps to create a cozy cake-shop area.
- Display cases KC80 will make your sales rocket and will take care of reducing energy consumption and costs of operation.

SPECIFICATIONS:

Model	Length with the sidewalls, mm → mm	Length w/o the side-walls, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
KC 80 1,0 static	1020/978	940	0,46	0,07	0...+10
KC 80 1,2 static	1180/1138	1100	0,54	0,08	
KC 80 1,5 static	1480/1438	1400	0,69	0,10	
KC 80 1,0 heated	1020/978	940	0,65	—	up to +65
KC 80 1,2 heated	1180/1138	1100	0,76	—	
KC 80 1,0 neutral	1020/978	940	0,78	—	—
KC 80 1,2 neutral	1180/1138	1100	0,91	—	
KC 80 1,5 neutral	1480/1438	1400	1,16	—	
KC 80 0,8 heated tower	— / 723	685	0,68	—	up to +65
KC 80 0,8 neutral tower	— / 723	685	1,1	—	
KC 80 1,2 neutral tower	— / 1138	1100	1,9	—	—
KC 80 Outer corner 90° neutral	1710/1670	—	0,95	—	
KC 80 Inner corner 90° neutral	1680/1640	—	0,78	—	
KC 80 Neutral counter 0,8	— / 723	685	—	—	




OPTIONS:

- sidewalls plastic/MDF
- everything necessary for connecting display cases
- partition
- two-stage tray system for displaying products
- wood grating for bread (cheese, delicacies)
- full-profile partition
- front panel decor with moldings and paneling
- front panel decor (LED lighting)
- sandwich display stand
- macaron tray (1 section, 2 sections)
- price tag tray for small pastries



SIDEWALLS PLASTIC WITH
PART MDF / MDF ONLY




WOOD GRATING



PRICE TAG TRAY
FOR SMALL PASTRIES



TWO-STAGE
TRAY SYSTEM



SANDWICH
DISPLAY STAND



MACARON TRAY
(1 SECTION)

**DECOR FOR THE FRONT PANEL
USING LED LIGHTING**

FRONT PANEL DECOR
WITH MOLDINGS AND PANELING



KC80

The display case is the heart of a bakery or cake shop.

The professional KC80 display case series is made for those who carry on the **MAGNIFICENT** baking tradition



Carboma

Confectionery display cases

VISION




FEATURES:

- In KC82 series, design and technology join efforts to help you increase the sales of your confectionery items, cakes, chocolate, snacks and delicatessen.
- With its wide range of models, KC82 may be used on any shop floor, from a small bakery or cafe to a supermarket.
- Transformation to meet any needs helps to create a cozy cake-shop area.
- Display cases KC82 will make your sales rocket and will take care of reducing energy consumption and costs of operation.


SPECIFICATIONS:

Model	Length with the sidewalls (plastic/MDF), mm → mm	Length w/o the side-walls, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
KC82 1,0 static	1020/978	940	0,46	0,07	0...+10
KC82 1,2 static	1180/1138	1100	0,54	0,08	
KC82 1,5 static	1480/1438	1400	0,69	0,10	
KC82 Outer corner static (right module)	1620 (970)/1599 (949)	1580/930	0,6	0,09	
KC82 Outer corner static (left module)	1620 (970)/1599 (949)	1580/930	0,6	0,09	
KC82 1,0 heated	1020/978	940	0,65	—	up to +65
KC82 1,2 heated	1180/1138	1100	0,76	—	
KC82 1,0 neutral	1020/978	940	0,58	—	—
KC82 1,2 neutral	1180/1138	1100	0,68	—	
KC82 1,5 neutral	1480/1438	1400	0,87	—	
KC80 0,8 heated tower	-/723	685	0,68	—	up to +65
KC80 0,8 neutral tower	-/723	685	1,1	—	
KC80 1,2 neutral tower	-/1138	1100	1,9	—	—
KC82 1,5 neutral bar stand	-/1438	1400	—	—	
KC82 1,9 neutral bar stand	-/1838	1800	—	—	
KC80 Neutral counter 0,8	-/723	685	—	—	


Static




Heated




Neutral




Neutral tower




Heated tower



Static 02 (left module)



Static 01 (right module)




BAR STAND




BAR STAND
TABLE T57 M2-1



Bar stand



Counter




OPTIONS:

- sidewalls plastic/MDF
- everything necessary for connecting display cases
- partition
- two-stage tray system for displaying products
- wood grating for bread (cheese, delicacies)
- front panel decor with moldings and paneling
- front panel decor (LED lighting)
- sandwich display stand
- macaron tray (1 section, 2 sections)
- price tag tray for small pastries



SIDEWALLS PLASTIC
WITH PART MDF / MDF ONLY




WOOD GRATING



PRICE TAG TRAY
FOR SMALL PASTRIES




TWO-STAGE
TRAY SYSTEM



SANDWICH
DISPLAY STAND



MACARON TRAY
(1 SECTION)





KC82

The display case is the heart of a bakery or cake shop.

The professional KC82 display case series is made for those who carry on the **MAGNIFICENT** baking tradition



Carloma

Carboma

Confectionery display cases

CASABLANCA










FEATURES:

- Professional display cases KC95 mean more room for products and more options for positioning in the shop.
- Wide range of models and connection into lines creates new opportunities for planning the layout of the shop, bakery or confectioner's.
- KC95 display cases provide maximum visibility of products and increase sales.

SPECIFICATIONS:

Model	Length with the sidewalls (MDF), mm → mm	Length w/o the side-walls, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
KC95 1,2 static	1144	1100	0,76	0,11	+1...+10
KC95 1,5 static	1444	1400	0,96	0,14	
KC95 2,0 static	1944	1900	1,32	0,20	
KC95 1,2 dynamic	1144	1100	0,76	0,11	
KC95 1,5 dynamic	1444	1400	0,96	0,14	
KC95 2,0 dynamic	1944	1900	1,32	0,20	
KC95 1,2 heated dynamic	1144	1100	1,42	0,21	up to + 65
KC95 1,5 heated dynamic	1444	1400	1,81	0,27	
KC95 1,2 neutral	1144	1100	—	—	—
KC95 1,5 neutral	1444	1400	—	—	
KC95 2,0 neutral	1944	1900	—	—	
KC95 0,8 neutral tower	760	716	1,13	—	
KC95 1,2 neutral tower	1144	1100	1,74	—	
KC95 Outer corner 90° neutral	1810	—	—	—	
KC95 Inner corner 90° neutral	—	—	—	—	
KC95 Neutral counter 0,8	760	716	—	—	



OPTIONS:

- MDF sidewalls
- everything necessary for connecting display cases
- wood grating for bread (cheese, delicacies)
- high glass in the front
- sandwich display stand
- macaron tray (1 section, 2 sections)
- price tag tray for small pastries




HIGH GLASS IN THE FRONT



WOOD GRATING



PRICE TAG TRAY
FOR SMALL PASTRIES



SANDWICH
DISPLAY STAND



MACARON TRAY
(1 SECTION)

- 1 Tilted bottom shelf (15°)
improves visibility of
products
- 2 Shelves set back from the
front glass panel provide
maximum «useful» volume
- 3 Removable front glass
panel – convenient
servicing and cleaning





KC95

Professional series of confectionery display cases
MAXIMUM VOLUME for MAXIMUM SALES



Carlton

Carloma

Ice-cream display freezers

BLISS



Add the power of light –
for business of any color!


FEATURES:

- Static refrigeration system prevents crusting and drying up of products, preserves the taste of ice-cream.
- Climate class 4 (ambient of 30°C with 55% RH).
- This display freezer with its built-in handles and wheels with stoppers on them is ideal for arranging itinerant trade, it makes it easy to change locations and BECOME CLOSER TO CUSTOMERS.


SPECIFICATIONS:

MODEL	IC72 SL 1,1-1	IC72 SL 1,3-1
Total length, mm	1190	1360
Internal volume of displayed products, l	219	255
Net volume of displayed products, l / Number of gastronorm pans, items	30 / 6	35 / 7
Internal volume of storage section, l	100	127
Net volume of storage container, l / Number of gastronorm pans, items	40 / 8	60 / 12
Product temperature in the storage section, °C	-25...-18	


IC72 SL 1,3-1



Layout of gastronorm pans in IC72SL1,3-1



Displayed products
gastronorm pans 360x165x120 – 7 pans



Storage section
gastronorm pans 360x165x120 – 12 pans

OPTIONS:

- stainless steel gastronorm pans 360x165x120 mm
- RGB lighting along the stands
- round ice-cream pan



CARBOMA TWINFREEZ™

Direct-drive freezer chain technology combining two concatenated elements. Tubular – for refrigerating the storage section, allows for storing a stock of ice-cream in the internal storage section and reduces the cost of its delivery.

Finned tube – for refrigerating the displayed products.



CARBOMA OPTIHEAT™

Front insulating glass unit heating technology to prevent fogging up in high-humidity conditions. Technology necessary for display units of climate class 4 and higher.



CARBOMA SHOWLED™

Technology for drawing customers' attention using external built-in RGB-type LED lighting along the external stands of the freezer display.

CONNECTING IN A LINE

of a display freezer for ice-cream IC72 (BLISS) and gastronomic display case GC75 (COLORE)



Installation
without gaps

STANDARD VERSION:

RAL9003



STANDARD COLORS:

(painted body)

RAL9003

RAL9006

RAL9005

RAL3004

RAL7024



RAL1016

RAL6018

RAL3020

RAL5017

RAL1015



CUSTOM-MADE VERSION:

Any color from RAL chart

Branding of the front panel



BRANDING

OF THE FRONT PANEL:



Promo refrigerated showcases

FUDZI






FEATURES:

- Refrigerated display FUDZI is created as an all-purpose promotion island which combines design and functionality.
- Adjustable in height and tilt, this display case is perfect for promotions and new product presentations and the shock-proof transparent sidewalls focus the customer's attention on the product.
- Shelves in PF models may be installed at different heights, so the whole of the display case may be used for displaying products and nothing blocks the view.

SPECIFICATIONS:

Model	Length with the sidewalls, mm → mm	Length without the sidewalls, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
PF11-13 VM 1,25-2	1280	1250	1,93	0,21	+2...+4
PF11-12 VM 1,25-2			1,56	0,17	
PI11 VM 1,25-2			1,06	0,11	
PG11 VM 1,25-1			1,06	0,11	



OPTIONS:

- protective bumper
- wheels
- price tag holders




WHEELS



PROTECTIVE BUMPER

Joining PF11-13 in a line



Promo refrigerated showcases

ODA





FEATURES:

- Refrigerated display ODA is a small mobile display case that is perfect for impulse sales.
- Display case is easily adjustable in height and may have different tilt angles.
- Shelf in PF models may be installed at the required height depending on the products to be displayed.
- A good view within the display case is achieved thanks to shock-proof transparent PMMA sidewalls and glass panels in the front and in the back.
- Airduct system evenly distributes cold throughout the internal volume.
- As options, there are wheels, extendable protective shock-proof bumper and price tag holders.

SPECIFICATIONS:

Model	Length with the sidewalls, mm → mm	Length without the sidewalls, mm → mm	Horizontal area of exposition, m ² 	Net volume, m ³ 	Operating temperature, °C 
PF07-12 VM 0,7-2	700	670	0,52	0,07	+2...+4
PF07-12 VM 0,9-2	900	870	0,67	0,09	
PI07 VM 0,7-2	700	670	0,35	0,04	
PI07 VM 0,9-2	900	870	0,45	0,05	
PG07 VM 0,7-1	700	670	0,35	0,05	
PG07 VM 0,9-1	900	870	0,45	0,07	



OPTIONS:

- protective bumper
- wheels
- price tag holders



WHEELS



PROTECTIVE BUMPER



PI07



PF07-12



PG07

Wall display cases

VIVARA






FEATURES:

- Perfect solution for displaying food products and beverages – cabinets FC18-06, FC-16-06, FC14-06.
- Thanks to its compact size, this display cabinet may even be used in very small rooms, its depth is only 590 mm.
- Glass sidewalls improve visibility of displayed products.
- Perforated shelves that let cold pass through and reflect light showcase food products to their maximum advantage.


SPECIFICATIONS:

Model	Dimensions, mm 	Refrigerated area, m ² 	Net (refrigerated) volume, m ³ 	Operating temperature, °C 
FC18-0,6 VM 0,6	550x590x1890 (1990)	0,93	0,19	+2...+10
FC18-0,6 VM 0,7	690x590x1890 (1990)	1,17	0,23	
FC16-0,6 VM 0,6	550x590x1560 (1660)	0,76	0,15	
FC16-0,6 VM 0,7	690x590x1560 (1660)	0,95	0,19	
FC14-0,6 VM 0,6	550x590x1310 (1410)	0,58	0,12	
FC14-0,6 VM 0,7	690x590x1310 (1410)	0,72	0,14	



OPTIONS:

- additional shelf with brackets
- hanging basket for jars



HANGING BASKET FOR JARS

- 1 Perforated shelves (let cold pass through and reflect light)
- 2 Tempered glass sidewalls with 100% visibility
- 3 Price tag holders
- 4 Wheels
- 5 Night curtain



Carboma

Polus Company JSC
95 Stroiteley St., building 100A
lot 1, Yoshkar-Ola
424006, Mari El Republic, Russia
Tel./fax: +7 (8362) 23-28-51, 23-28-52
E-mail: sales@oaopolus.ru



www.carboma.com